INDEX TO AUTHORS.

A

Avery, O. T., and **Cullen, Glenn E.** Hydrogen ion concentration of cultures of pneumococci of the different types in carbohydrate media, 359

—. See DOCHEZ, AVERY, and LANCEFIELD, 179

B

Barber, M. A. Antiblastic phenomena in active acquired immunity and in natural immunity to pneumococcus, 589

—. A study by the single cell method of the influence of homologous antipneumococcic serum on the growth rate of pneumococcus, 569

Brown, Wade H., and **Pearce, Louise.** Chemotherapy of trypanosome and spirochete infections. Biological series. I. The toxic action of *N*-phenylglycineamide-*p*-arsonic acid, 417

— and —. Biological series. IV. The action of *N*-phenylglycineamide-*p*-arsonic acid upon spirochete infections, 483

—. See PEARCE and BROWN, 437, 455

C

Chase, C. S. See DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE, 109

Chillingworth, Felix P. See HARRIS and CHILLINGWORTH, 75

Clough, Mildred C. A study of pneumococci reacting with antipneumococcus sera of Types I, II, and III, with an observation of a mutation of one of the strains, 123

Cullen, Glenn E. See AVERY and CULLEN, 359

D

Dochez, A. R., Avery, O. T., and **Lancefield, R. C.** Studies on the biology of streptococcus. I. Antigenic relationships between strains of *Streptococcus hæmolyticus*, 179

Dragstedt, Carl A. See DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE, 109

Dragstedt, Lester R., Dragstedt, Carl A., McClintock, John T., and **Chase, C. S.** Intestinal obstruction. II. A study of the factors involved in the production and absorption of toxic materials from the intestine, 109

E

Ebeling, Albert H. A strain of connective tissue seven years old, 531

F

Florence, Laura. See SMILLIE, LITTLE, and FLORENCE, 341

H

Harris, William H., and **Chillingworth, Felix P.** The experimental production in dogs of emphysema with associated asthmatic syndrome by means of an intratracheal ball valve, 75

Harrop, George A., Jr. The oxygen and carbon dioxide content of arterial and of venous blood in normal individuals and in patients with anemia and heart disease, 241

Heidelberger, Michael. See JACOBS and HEIDELBERGER, 411

Hogue, Mary Jane. The effect of hypotonic and hypertonic solutions on fibroblasts of the embryonic chick heart *in vitro*, 617

J

Jacobs, Walter A., and **Heidelberger, Michael.** Chemotherapy of trypanosome and spirochete infections. Chemical series. I. *N*-phenylglycineamide-*p*-arsonic acid, 411

Jones, F. S. The streptococci of equines, 159

K

Kawamura, K. Studies on organ transplantation. I. Transplantation of the thyroid gland with intact blood supply, 45

—. II. Transplantation of the spleen with intact blood supply, 65

Kligler, I. J. Growth accessory substances for pathogenic bacteria in animal tissues, 31

Koser, S. A. See STEVENS and KOSER, 539

L

Lancefield, R. C. See DOCHEZ, AVERY, and LANCEFIELD, 179

Langstroth, Lovell. Blood viscosity. I. Conditions affecting the viscosity of blood after withdrawal from the body, 597

—. II. Effect of increased venous pressure, 607

Little, Ralph B. See SMILLIE, LITTLE, and FLORENCE, 341

Lord, Frederick T. The relation of proteolytic enzymes in the pneumonic lung to hydrogen ion concentration. An explanation of resolution, 379

— and **Nye, Robert N.** The relation of the pneumococcus to hydrogen ion concentration, acid death-point, and dissolution of the organism, 389

Lundsgaard, Christen. Erythrosis, or false cyanosis, 295

—. Studies of oxygen in the venous blood. V. Determinations on patients with anemia, 147

—. Studies on cyanosis. I. Primary causes of cyanosis, 259

—. II. Secondary causes of cyanosis, 271

M

McClintock, John T. See DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE, 109

Mills, Ralph G. The pathological changes in the testes in epidemic pneumonia, 505

N

Noguchi, Hideyo. Etiology of yellow fever. IV. The acquired immunity of guinea pigs against *Leptospira icteroides* after the inoculation of blood of yellow fever patients, 1

—. V. Properties of blood serum of yellow fever patients in relation to *Leptospira icteroides*, 9

—. VI. Cultivation, morphology, virulence, and biological properties of *Leptospira icteroides*, 13

Noguchi, Hideyo. VII. Demonstration of *Leptospira icteroides* in the blood, tissues, and urine of yellow fever patients and of animals experimentally infected with the organism, 87

—. VIII. Presence of a leptospira in wild animals in Guayaquil and its relation to *Leptospira icterohæmorrhagiæ* and *Leptospira icteroides*, 95

—. IX. Mosquitoes in relation to yellow fever, 401

Nye, Robert N. See LORD and NYE, 389

P

Pearce, Louise, and **Brown, Wade H.** Chemotherapy of trypanosome and spirochete infections. Biological series. II. The therapeutic action of *N*-phenylglycineamide-*p*-arsonic acid in experimental trypanosomiasis of mice, rats, and guinea pigs, 437

— and —. Biological series. III. The therapeutic action of *N*-phenylglycineamide-*p*-arsonic acid in experimental trypanosomiasis of rabbits, 455

—. See BROWN and PEARCE, 417, 483

S

Smillie, Ernest W., Little, Ralph B., and **Florence, Laura.** An interpretation of the agglutination reaction to *Bacillus abortus* in 75 cases of bovine abortion bacteriologically controlled, 341

Smith, Theobald. The bacteriology of bovine abortion, with special reference to acquired immunity, 325

—. The etiological relation of spirilla (*Vibrio fetus*) to bovine abortion, 313

— and **Taylor, Marian S.** Some morphological and biological characters of the spirilla (*Vibrio fetus, n.sp.*) associated with disease of the fetal membranes in cattle, 299

Stadie, William C. The oxygen of the arterial and venous blood in pneumonia and its relation to cyanosis, 215

Stevens, F. A., and **Koser, S. A.** Streptolysin production in carbohydrate media, 539

Stillman, Ernest G. See WINCHELL and STILLMAN, 497

T

Taylor, Marian S. See SMITH and TAYLOR, 299

W

Winchell, Agnes I., and **Stillman, Ernest G.** The occurrence of *Bacillus influenzæ* in the normal throat, 497

Wollstein, Martha. Pfeiffer's bacillus and influenza. A serological study, 555

INDEX TO SUBJECTS.

A

Abortion:
Bovine, bacteriologically controlled, agglutination reaction to *Bacillus abortus* (SMILLIE, LITTLE, and FLORENCE) 341
—, bacteriology (SMITH) 325
—, etiological relation of spirilla (SMITH) 313
—, — — of *Vibrio fetus* (SMITH) 313

Abortus:
Bacillus, agglutination reaction, in bovine abortion, (SMILLIE, LITTLE, and FLORENCE) 341

Absorption:
Toxic materials, from intestine (DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE) 109

Acid:
Death-point, relation of pneumococcus (LORD and NYE) 389

Agglutination:
Reaction, to *Bacillus abortus*, in bovine abortion (SMILLIE, LITTLE, and FLORENCE) 341

Anemia:
Carbon dioxide of arterial blood (HARROP) 241
— — — venous blood (HARROP) 241
Oxygen of arterial blood (HARROP) 241
— — venous blood (HARROP) 241
— — — — (LUNDSGAARD) 147

Antiblastic:
Phenomena, in active acquired immunity to pneumococcus (BARBER) 589
—, — natural immunity to pneumococcus (BARBER) 589

Antigen:
Streptococcus hæmolyticus strains, antigenic relationships (DOCHEZ, AVERY, and LANCEFIELD) 179

Antipneumococcic serum:
See Serum, pneumococcic.

Artery:
Blood, arterial, carbon dioxide, in anemia (HARROP) 241
—, —, — —, in heart disease (HARROP) 241
—, —, — —, in normal individuals (HARROP) 241
—, —, oxygen, in anemia (HARROP) 241
—, —, —, in heart disease (HARROP) 241
—, —, —, in normal individuals (HARROP) 241
—, —, —, in pneumonia (STADIE) 215
—, —, —, relation to cyanosis (STADIE) 215

Asthma:
Syndrome, associated with emphysema (HARRIS and CHILLINGWORTH) 75

B

Bacillus:
abortus, agglutination reaction in bovine abortion (SMILLIE, LITTLE, and FLORENCE) 341

Bacillus—*continued:*
influenzæ, in normal throat (WINCHELL and STILLMAN) 497
Pfeiffer's, relation to influenza (WOLLSTEIN) 555
Bacteria:
Pathogenic, growth accessory substances for, in animal tissues (KLIGLER) 31
Bacteriology:
Abortion, bovine (SMITH) 325
—, —, bacteriologically controlled, agglutination reaction to *Bacillus abortus* (SMILLIE, LITTLE, and FLORENCE) 341
Biology:
Leptospira icteroides, biological properties (NOGUCHI) 13
Spirilla associated with disease of fetal membranes in cattle, biological characters (SMITH and TAYLOR) 299
Streptococcus (DOCHEZ, AVERY, and LANCEFIELD) 179
Vibrio fetus associated with disease of fetal membranes in cattle, biological characters (SMITH and TAYLOR) 299
Blood:
Arterial, carbon dioxide, in anemia (HARROP) 241
—, — —, in heart disease (HARROP) 241
—, — —, in normal individuals (HARROP) 241
—, oxygen, in anemia (HARROP) 241
—, —, in heart disease (HARROP) 241
—, —, in normal individuals (HARROP) 241
Blood—*continued:*
Arterial, oxygen, in pneumonia (STADIE) 215
—, —, relation to cyanosis (STADIE) 215
Leptospira icteroides in, of animals experimentally infected (NOGUCHI) 87
— — —, of yellow fever patients (NOGUCHI) 87
Serum of yellow fever patients, properties, in relation to *Leptospira icteroides* (NOGUCHI) 9
Supply, intact, transplantation of spleen with (KAWAMURA) 65
—, —, — of thyroid with (KAWAMURA) 45
Venous, carbon dioxide, in anemia (HARROP) 241
—, — —, in heart disease (HARROP) 241
—, — —, in normal individuals (HARROP) 241
—, oxygen (LUNDSGAARD) 147
—, —, in anemia (HARROP) 241
—, —, in heart disease (HARROP) 241
—, —, in normal individuals (HARROP) 241
—, —, in pneumonia (STADIE) 215
—, —, relation to cyanosis (STADIE) 215
Viscosity (LANGSTROTH) 597, 607
—, after withdrawal from body (LANGSTROTH) 597
Yellow fever patients, immunity acquired against *Leptospira icteroides* after inoculation (NOGUCHI) 1

C

Carbohydrate:
Media, hydrogen ion concentration of pneumococcus cultures in (AVERY and CULLEN) 359
—, streptolysin production in (STEVENS and KOSER) 539

Carbon dioxide:
Blood, arterial, in anemia (HARROP) 241
—, —, in heart disease (HARROP) 241
—, —, in normal individuals (HARROP) 241
—, venous, in anemia (HARROP) 241
—, —, in heart disease (HARROP) 241
—, —, in normal individuals (HARROP) 241

Cattle:
Abortion, bacteriologically controlled, agglutination reaction to *Bacillus abortus* (SMILLIE, LITTLE, and FLORENCE) 341
—, bacteriology (SMITH) 325
—, etiological relation of spirilla (SMITH) 313
—, — — of *Vibrio fetus* (SMITH) 313
Fetal membranes, disease of, biological characters of spirilla associated with (SMITH and TAYLOR) 299
— —, — —, biological characters of *Vibrio fetus* associated with (SMITH and TAYLOR) 299
— —, — —, morphology of spirilla associated with (SMITH and TAYLOR) 299
— —, — —, morphology of *Vibrio fetus* associated with (SMITH and TAYLOR) 299

Cell:
Pneumococcus, growth rate, influence of homologous antipneumococcic serum on, studied by single cell method (BARBER) 569

Chemotherapy:
Spirochete infections (BROWN and PEARCE) 417, 483
— — (JACOBS and HEIDELBERGER) 411
— — (PEARCE and BROWN) 437, 455
Trypanosome infections (BROWN and PEARCE) 417, 483
— — (JACOBS and HEIDELBERGER) 411
— — (PEARCE and BROWN) 437, 455

Connective tissue:
See Tissue.

Cultivation:
Leptospira icteroides (NOGUCHI) 13

Culture:
Pneumococcus, hydrogen ion concentration in carbohydrate media (AVERY and CULLEN) 359

Cyanosis:
(LUNDSGAARD) 259, 271
Causes, primary (LUNDSGAARD) 259
—, secondary (LUNDSGAARD) 271
False (LUNDSGAARD) 295
Oxygen of arterial and venous blood in pneumonia, relation of, to (STADIE) 215

D

Death:
-point, acid, relation of pneumococcus (LORD and NYE) 389

Disease:
Fetal membranes, in cattle, biological characters of spirilla associated with (SMITH and TAYLOR) 299
——, ——, biological characters of *Vibrio fetus* associated with (SMITH and TAYLOR) 299
— —, — —, morphology of spirilla associated with (SMITH and TAYLOR) 299
— —, — —, morphology of *Vibrio fetus* associated with (SMITH and TAYLOR) 299
Heart, carbon dioxide of arterial blood (HARROP) 241
—, —— of venous blood (HARROP) 241
—, oxygen of arterial blood (HARROP) 241
—, — — venous blood (HARROP) 241
Dissolution:
Organism, relation of pneumococcus (LORD and NYE) 389

E

Embryo:
Chick heart, fibroblasts, effect of hypertonic solutions *in vitro* (HOGUE) 617
— —, —, effect of hypotonic solutions *in vitro* (HOGUE) 617
Emphysema:
Production, by intratracheal ball valve (HARRIS and CHILLINGWORTH) 75
Enzyme:
Proteolytic, in pneumonic lung, relation to hydrogen ion concentration (LORD) 379
Epidemic:
Pneumonia, pathological changes in testes (MILLS) 505
Erythrosis:
(LUNDSGAARD) 295
Etiology:
Spirilla, relation to bovine abortion (SMITH) 313
Vibrio fetus, relation to bovine abortion (SMITH) 313
Yellow fever (NOGUCHI) 1, 9, 13, 87, 95, 401

F

Fetus:
Membranes, disease of, in cattle, biological characters of spirilla associated with (SMITH and TAYLOR) 299
—, — —, in cattle, biological characters of *Vibrio fetus* associated with (SMITH and TAYLOR) 299
—, — —, in cattle, morphology of spirilla associated with (SMITH and TAYLOR) 299
—, — —, in cattle, morphology of *Vibrio fetus* associated with (SMITH and TAYLOR) 299
Vibrio, biological characters (SMITH and TAYLOR) 299
—, etiological relation to bovine abortion (SMITH) 313
—, morphology (SMITH and TAYLOR) 299
Fever:
Yellow. *See* Yellow fever.
Fibroblast:
Embryonic chick heart, effect of hypertonic solutions *in vitro* (HOGUE) 617
— — —, effect of hypotonic solutions *in vitro* (HOGUE) 617

G

Gland:
Thyroid, transplantation, with intact blood supply (KAWAMURA) 45

Growth:
Accessory substances for pathogenic bacteria in animal tissues (KLIGLER) 31
Pneumococcus, rate, influence of homologous antipneumococcic serum, studied by single cell method (BARBER) 569

H

Hæmolyticus:
Streptococcus, strains, antigenic relationships (DOCHEZ, AVERY, and LANCEFIELD) 179
Heart:
Disease. *See* Disease.
Embryonic chick, fibroblasts, effect of hypertonic solutions *in vitro* (HOGUE) 617
— —, —, effect of hypotonic solutions *in vitro* (HOGUE) 617
Homologous:
Serum, antipneumococcic, influence on pneumococcus growth rate, studied by single cell method (BARBER) 569
Horse:
Streptococci (JONES) 159
Hydrogen ion:
Concentration, of pneumococcus cultures in carbohydrate media (AVERY and CULLEN) 359
—, relation of pneumococcus (LORD and NYE) 389
—, — — proteolytic enzymes in pneumonic lung (LORD) 379
Hypertonic:
Solutions, effect on fibroblasts of embryonic chick heart *in vitro* (HOGUE) 617
Hypotonic:
Solutions, effect on fibroblasts of embryonic chick heart *in vitro* (HOGUE) 617

I

Icterohæmorrhagiæ:
Leptospira, relation of leptospira in wild animals (NOGUCHI) 95
Icteroides:
Leptospira, acquired immunity against (NOGUCHI) 1
—, biological properties (NOGUCHI) 13
—, cultivation (NOGUCHI) 13
—, in blood of animals experimentally infected (NOGUCHI) 87
—, — — of yellow fever patients (NOGUCHI) 87
—, — tissues of animals experimentally infected (NOGUCHI) 87
—, — — of yellow fever patients (NOGUCHI) 87
—, — urine of animals experimentally infected (NOGUCHI) 87
—, — — of yellow fever patients (NOGUCHI) 87
—, morphology (NOGUCHI) 13
—, properties of blood serum of yellow fever patients in relation to (NOGUCHI) 9
—, relation of leptospira in wild animals (NOGUCHI) 95
—, virulence (NOGUCHI) 13
Immunity:
Abortion, bovine, acquired (SMITH) 325

Immunity—*continued:*
Leptospira icteroides (NOGUCHI) 1
Pneumococcus, active acquired, antiblastic phenomena (BARBER) 589
—, natural, antiblastic phenomena (BARBER) 589
In vitro:
Fibroblasts of embryonic chick heart, effect of hypertonic solutions (HOGUE) 617
— of embryonic chick heart, effect of hypotonic solutions (HOGUE) 617
Infection:
Leptospira icteroides in blood of animals experimentally infected (NOGUCHI) 87
— — — tissues of animals experimentally infected (NOGUCHI) 87
— — — urine of animals experimentally infected (NOGUCHI) 87
Spirochete, action of *N*-phenylglycineamide-*p*-arsonic acid (BROWN and PEARCE) 483
—, chemotherapy (BROWN and PEARCE) 417, 483
—, — (JACOBS and HEIDELBERGER) 411
—, — (PEARCE and BROWN) 437, 455
Trypanosome, chemotherapy (BROWN and PEARCE) 417, 483
—, — (JACOBS and HEIDELBERGER) 411
—, — (PEARCE and BROWN) 437, 455
Influenza:
Pfeiffer's bacillus (WOLLSTEIN) 555
Influenzæ:
Bacillus, in normal throat (WINCHELL and STILLMAN) 497
Inoculation:
Yellow fever patients' blood, immunity acquired against *Leptospira icteroides* after (NOGUCHI) 1
Intestine:
Obstruction (DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE) 109
Toxic materials, absorption (DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE) 109
— —, production (DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE) 109
Intratracheal:
Ball valve, producing emphysema (HARRIS and CHILLINGWORTH) 75

L

Leptospira:
icterohæmorrhagiæ, relation of leptospira in wild animals (NOGUCHI) 95
icteroides, acquired immunity against (NOGUCHI) 1
—, biological properties (NOGUCHI) 13
—, cultivation (NOGUCHI) 13
—, in blood of animals experimentally infected (NOGUCHI) 87
—, — — of yellow fever patients (NOGUCHI) 87
—, — tissues of animals experimentally infected (NOGUCHI) 87
—, — — of yellow fever patients (NOGUCHI) 87
—, — urine of animals experimentally infected (NOGUCHI) 87
—, — — of yellow fever patients (NOGUCHI) 87

Leptospira—*continued:*
icteroides, morphology (NOGUCHI) 13
—, properties of blood serum of yellow fever patients in relation to (NOGUCHI) 9
—, relation of leptospira in wild animals (NOGUCHI) 95
—, virulence (NOGUCHI) 13
Presence in wild animals (NOGUCHI) 95
Relation of leptospira in wild animals to *Leptospira icterohæmorrhagiæ* (NOGUCHI) 95
— — — in wild animals to *Leptospira icteroides* (NOGUCHI) 95
Lung:
Pneumonic, proteolytic enzymes in, relation to hydrogen ion concentration (LORD) 379

M

Medium:
Carbohydrate, hydrogen ion concentration of pneumococcus cultures in (AVERY and CULLEN) 359
—, streptolysin production in (STEVENS and KOSER) 539
Membrane:
Fetal, disease of, in cattle, biological properties of spirilla associated with (SMITH and TAYLOR) 299
—, — —, in cattle, biological properties of *Vibrio fetus* associated with (SMITH and TAYLOR) 299
—, — —, in cattle, morphology of spirilla associated with (SMITH and TAYLOR) 299
Membrane—*continued:*
Fetal, disease of, in cattle, morphology of *Vibrio fetus* associated with (SMITH and TAYLOR) 299
Method:
Cell, single, influence of homologous antipneumococcic serum on pneumococcus growth rate studied by (BARBER) 569
Morphology:
Leptospira icteroides (NOGUCHI) 13
Spirilla associated with disease of fetal membranes in cattle (SMITH and TAYLOR) 299
Vibrio fetus associated with disease of fetal membranes in cattle (SMITH and TAYLOR) 299
Mosquito:
Yellow fever, relation (NOGUCHI) 401
Mutation:
Pneumococcus strain (CLOUGH) 123

O

Obstruction:
Intestinal (DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE) 109
Organ:
Transplantation (KAWAMURA) 45, 65
Organism:
Dissolution, relation of pneumococcus (LORD and NYE) 389
Leptospira icteroides, in blood of animals experimentally infected (NOGUCHI) 87
— —, in tissues of animals experimentally infected (NOGUCHI) 87
— —, in urine of animals experimentally infected (NOGUCHI) 87

Oxygen:
Blood, arterial, in anemia (HARROP) 241
—, —, in heart disease (HARROP) 241
—, —, in normal individuals (HARROP) 241
—, —, in pneumonia (STADIE) 215
—, —, relation to cyanosis (STADIE) 215
—, venous (LUNDSGAARD) 147
—, —, in anemia (HARROP) 241
—, —, in heart disease (HARROP) 241
—, —, in normal individuals (HARROP) 241
—, —, in pneumonia (STADIE) 215
—, —, relation to cyanosis (STADIE) 215

P

Pathogenicity:
Bacteria, pathogenic, growth accessory substances for, in animal tissues (KLIGLER) 31
Pathology:
Testes, in epidemic pneumonia (MILLS) 505
Pfeiffer's bacillus:
See Bacillus.
***N*-Phenylglycineamide-*p*-arsonic acid:**
(JACOBS and HEIDELBERGER) 411
Spirochete infections, action on, of (BROWN and PEARCE) 483
Toxic action (BROWN and PEARCE) 417
Trypanosomiasis, therapeutic action on, of (PEARCE and BROWN) 437, 455
Pneumococcus:
Acid death-point, relation (LORD and NYE) 389
Cultures, hydrogen ion concentration in carbohydrate media (AVERY and CULLEN) 359
Dissolution of organism, relation (LORD and NYE) 389
Growth rate, influence of homologous antipneumococcic serum on, studied by single cell method (BARBER) 569
Hydrogen ion concentration, relation (LORD and NYE) 389
Immunity, active acquired, antiblastic phenomena (BARBER) 589
—, natural, antiblastic phenomena (BARBER) 589
Reaction with Type I, II, and III antipneumococcus sera (CLOUGH) 123
Pneumonia:
Epidemic, pathological changes in testes (MILLS) 505
Lung, proteolytic enzymes in, relation to hydrogen ion concentration (LORD) 379
Oxygen of arterial blood (STADIE) 215
—— venous blood (STADIE) 215
Pressure:
Venous, increased, effect on blood viscosity (LANGSTROTH) 607
Proteolysis:
Enzymes, proteolytic, in pneumonic lung, relation to hydrogen ion concentration (LORD) 379

R

Reaction:
Agglutination, to *Bacillus abortus*, in bovine abortion (SMILLIE, LITTLE, and FLORENCE) 341
Pneumococcus, with Type I, II, and III antipneumococcus sera (CLOUGH) 123
Resolution:
(LORD) 379

S

Serology:
Influenza (WOLLSTEIN) 555
Serum:
Pneumococcic, homologous, influence on pneumococcus growth rate, studied by single cell method (BARBER) 569
—, of Types I, II, and III, pneumococci reacting with (CLOUGH) 123
Yellow fever patients, properties, in relation to *Leptospira icteroides* (NOGUCHI) 9
Solution:
Hypertonic, effect on fibroblasts of embryonic chick heart *in vitro* (HOGUE) 617
Hypotonic, effect on fibroblasts of embryonic chick heart *in vitro* (HOGUE) 617
Spirillum:
Etiological relation to bovine abortion (SMITH) 313
Fetal membranes, disease of, in cattle, biological characters of spirilla associated with (SMITH and TAYLOR) 299
— —, — —, in cattle, morphology of spirilla associated with (SMITH and TAYLOR) 299
Spirochete:
Infections, action of *N*-phenylglycineamide-*p*-arsonic acid (BROWN and PEARCE) 483
—, chemotherapy (BROWN and PEARCE) 417, 483
—,— (JACOBS and HEIDELBERGER) 411
—,— (PEARCE and BROWN) 437, 455
Spleen:
Transplantation, with intact blood supply (KAWAMURA) 65
Strain:
Connective tissue, old (EBELING) 531
Pneumococcus, mutation (CLOUGH) 123
Streptococcus hæmolyticus, antigenic relationships (DOCHEZ, AVERY, and LANCEFIELD) 179
Streptococcus:
Biology (DOCHEZ, AVERY, and LANCEFIELD) 179
hæmolyticus, strains, antigenic relationships (DOCHEZ, AVERY, and LANCEFIELD) 179
Horse (JONES) 159
Streptolysin:
Production in carbohydrate media (STEVENS and KOSER) 539
Syndrome:
Asthmatic, associated with emphysema (HARRIS and CHILLINGWORTH) 75

T

Testicle:
Pathology, in epidemic pneumonia (MILLS) 505

Therapy:
N-Phenylglycineamide-*p*-arsonic acid, in experimental trypanosomiasis (PEARCE and BROWN) 437, 455
Throat:
Bacillus influenzæ in normal (WINCHELL and STILLMAN) 497
Thyroid:
Transplantation, with intact blood supply (KAWAMURA) 45
Tissue:
Connective, old strain (EBELING) 531
Growth accessory substances for pathogenic bacteria in animal (KLIGLER) 31
Leptospira icteroidos in, of animals experimentally infected (NOGUCHI) 87
— — —, of yellow fever patients (NOGUCHI) 87
Toxicity:
Materials, toxic, from intestine, absorption (DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE) 109
—, —, — —, production (DRAGSTEDT, DRAGSTEDT, MCCLINTOCK, and CHASE) 109
N-Phenylglycineamide-*p*-arsonic acid (BROWN and PEARCE) 417
Transplantation:
Organ (KAWAMURA) 45, 65
Spleen, with intact blood supply (KAWAMURA) 65
Thyroid, with intact blood supply (KAWAMURA) 45
Trypanosome:
Infections, chemotherapy (BROWN and PEARCE) 417, 483
—, — (JACOBS and HEIDELBERGER) 411
Trypanosome—*continued:*
Infections, chemotherapy (PEARCE and BROWN) 437, 455
Trypanosomiasis:
N-Phenylglycineamide-*p*-arsonic acid, therapeutic action in experimental (PEARCE and BROWN) 437, 455
Type:
Pneumococci of different types, hydrogen ion concentration in carbohydrate media (AVERY and CULLEN) 359
Sera, antipneumococcus, of Types I, II, and III, pneumococci reacting with (CLOUGH) 123

U

Urine:
Leptospira icteroides in, of animals experimentally infected (NOGUCHI) 87
— — —, of yellow fever patients (NOGUCHI) 87

V

Valve:
Ball, intratracheal, producing emphysema (HARRIS and CHILLINGWORTH) 75
Vein:
Blood, venous, carbon dioxide, in anemia (HARROP) 241
—, —, — —, in heart disease (HARROP) 241
—, —, — —, in normal individuals (HARROP) 241
—, —, oxygen (LUNDSGAARD) 147
—, —, —, in anemia (HARROP) 241
—, —, —, in heart disease (HARROP) 241

Vein—*continued:*
Blood, venous, oxygen, in normal individuals (HARROP) 241
—, —, —, in pneumonia (STADIE) 215
—, —, —, relation to cyanosis (STADIE) 215
Pressure, increased, effect on blood viscosity (LANGSTROTH) 607
Vibrio:
fetus, biological characters (SMITH and TAYLOR) 299
—, etiological relation to bovine abortion (SMITH) 313
—, morphology (SMITH and TAYLOR) 299
Virulence:
Leptospira icteroides (NOGUCHI) 13
Viscosity:
Blood (LANGSTROTH) 597, 607
—, after withdrawal from body (LANGSTROTH) 597

Y

Yellow fever:
Blood of patients, *Leptospira icteroides* in (NOGUCHI) 87
Etiology (NOGUCHI) 1, 9, 13, 87, 95, 401
Immunity against *Leptospira icteroides* acquired after inoculation of blood of patients (NOGUCHI) 1
Mosquitoes, relation (NOGUCHI) 401
Serum of patients, properties, in relation to *Leptospira icteroides* (NOGUCHI) 9
Tissues of patients, *Leptospira icteroides* in (NOGUCHI) 87
Urine of patients, *Leptospira icteroides* in (NOGUCHI) 87